




DSK194-1F FLAT PATTERN




DETAIL A



DETAIL B



DETAIL C




DETAIL D

- NOTES:
- 1) MATERIAL: AISI 304/316 SS SHEET ANNEALED, 16 GAUGE (0.063) THICK
PER MIL-S-5059 OR AMS 5513 OR AMS 5524 OR ASTM A240 OR ASME SA240
REF DART SPEC M304S16GA
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 1.01 lbs
 - 8) USE TO MAKE D5737-1

RELEASED
2020 SEP 17

APPROVED


B	UPDATE DRAWING PER D5737 REV. B	SAD	20.08.20
A	NEW ISSUE	ZF	19.08.23
REV.	DESCRIPTION	BY	DATE
DESIGN	ZF	DART AEROSPACE USA, INC. HILLSBORO, OR	
DRAWN	SAD		
CHECKED	KPT	DRAWING NO.	REV. B
MFG. APPR.	DD	DSK194	SHEET 1 OF 3
APPROVED	VS	TITLE	SCALE
DE APPR.	N/A	WEARPLATE FLAT PATTERN	NTS
DATE	20.08.20	COPYRIGHT © 2019 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



DSK194-3F FLAT PATTERN



DETAIL E




DETAIL F

RELEASED
2020 SEP 17

- NOTES:**
- 1) MATERIAL: AISI 304/316 SS SHEET ANNEALED, 16 GAUGE (0.063) THICK
PER MIL-S-5059 OR AMS 5513 OR AMS 5524 OR ASTM A240 OR ASME SA240
REF DART SPEC M304S16GA
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 3.81 lbs
 - 8) USE TO MAKE D5737-3

APPROVED

DESIGN	ZF	DART AEROSPACE USA, INC. HILLSBORO, OR	
DRAWN	SAD		
CHECKED	KPT	DRAWING NO.	REV. B
MFG. APPR.	DD	DSK194	SHEET 2 OF 3
APPROVED	VS	TITLE	SCALE
DE APPR.	N/A	WEARPLATE FLAT PATTERN	NTS
DATE	20.08.20	COPYRIGHT © 2019 BY DART AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	



DSK194-5F FLAT PATTERN



RELEASED
2020 SEP 17

- NOTES:
- 1) MATERIAL: AISI 304/316 SS SHEET ANNEALED, 16 GAUGE (0.063) THICK
PER MIL-S-5059 OR AMS 5513 OR AMS 5524 OR ASTM A240 OR ASME SA240
REF DART SPEC M304S16GA
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 1.59 lbs
 - 8) USE TO MAKE D5737-5

APPROVED

DESIGN	ZF	DART AEROSPACE USA, INC. HILLSBORO, OR	
DRAWN	SAD		
CHECKED	KPT	DRAWING NO.	REV. B
MFG. APPR.	DD	DSK194	SHEET 3 OF 3
APPROVED	VS	TITLE	SCALE
DE APPR.	N/A	WEARPLATE FLAT PATTERN	NTS
DATE	20.08.20	COPYRIGHT © 2019 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	